

1 / 13




Fig. 1: Identification System




Fig. 2: Training system

BEST AVAILABLE COPY

2 / 13




Fig3: Identification system using Combiner before the subspace method




Fig 4: Verification system using Combiner before the subspace method











01	02	03	04	05
				
Front neutral expression	Facing 45° up	Facing 45° down	Happy expression	Eyes closed
06	07	08	09	10
				
Angry expression	2 nd Neutral	Eyebrows raised	3 rd Neutral	Farther from camera

Fig. 5. Example face models taken from a 3D face database



Fig. 6. Orientation of a raw 3D face model (*left*) to a frontal pose (*middle*) and facial surface depth map (*right*)

4 / 13



Fig. 7. Average depth map (*left most*) and first eight eigensurfaces




Fig. 8. Results from previous 3D face recognition systems using facial surface depth maps and a range of distance metrics




Fig. 9. Experimental framework for evaluating verification systems

6 / 13




Fig. 10. Error rates of 3D face recognition systems using optimum surface representations and distance metrics.

7 / 13




Fig. 11. Equal error rates of 3D face recognition systems using a variety of surface representations and distance metrics

















Horizontal Gradient		Vertical Gradient		Horizontal Gradient Large		Vertical Gradient Large	
	-1 1		-1 1		-1 0 0 0 1		-1 0 0 0 1
Applies the 2x1 kernel to compute the horizontal derivative		Applies the 1x2 kernel to compute the vertical derivative		Horizontal gradient calculated over a greater horizontal distance		Vertical gradient calculated over a greater vertical distance	
Laplacian		Sobel X		Sobel Y		Sobel Magnitude	
	0 1 0 1 -4 1 0 1 0		-1 0 1 -2 0 2 -1 0 1		1 2 1 0 0 0 -1 -2 -1		
An isotropic measure of the second spatial derivative		Application of the sobel derivative filter in the horizontal direction		Application of the sobel derivative filter in the vertical direction		The magnitude of the X and Y sobel derivatives	
Horizontal Curvature		Vertical Curvature		Curvature Magnitude		Curve Type	
							
Applies the sobel X kernel twice to calculate the second horizontal derivative		Applies the sobel Y kernel twice to calculate the second vertical derivative		The magnitude of the vertical and horizontal curvatures		Segmentation of the surface into 8 discrete curvature types	
Min Curvature		Max Curvature		Abs Min Curvature		Abs Max Curvature	
							
The minimum of the horizontal and vertical curvature values		The maximum of the horizontal and vertical curvature values		The minimum of the absolute horizontal and vertical curvatures		The maximum of the absolute horizontal and vertical curvatures	

Figure 12. Brief descriptions of surface representations with the convolution kernels used.

















Horizontal Derivative		Vertical Derivative		Horizontal Derivative 2		Vertical Derivative 2	
	-1 1		-1 1		-1 0 0 0 1		-1 0 0 0 1
Applies the 2x1 kernel to compute the horizontal derivative		Applies the 1x2 kernel to compute the vertical derivative		Horizontal gradient over a greater horizontal distance		Vertical gradient over a greater vertical distance	
Laplacian		Sobel X		Sobel Y		Sobel Magnitude	
	0 1 0 1-4 1 0 1 0		-1 0 1 -2 0 2 -1 0 1		1 2 1 0 0 0 -1 -2 -1		
An isotropic measure of the second spatial derivative		Application of the horizontal sobel derivative filter		Application of the vertical sobel derivative filter		The magnitude of Sobel X and Y combined.	
Horizontal Curvature		Vertical Curvature		Curvature Magnitude		Curve Type	
							
Applies sobel X twice to calculate the second horizontal derivative		Applies sobel Y twice to calculate the second vertical derivative		The magnitude of the vertical and horizontal curvatures		Segmentation of the surface into 8 discrete curvature types	
Min Curvature		Max Curvature		Abs Min Curvature		Abs Max Curvature	
							
The minimum of the horizontal and vertical curvature values		The maximum of the horizontal and vertical curvature values		The minimum of the absolute horizontal and vertical curvatures		The maximum of the absolute horizontal and vertical curvatures	

Fig. 13

10 / 13




Fig. 14

11 / 13






Fig. 15

[illegible]

Fig. 16

13 / 13

Fig. 17Fig. 18

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☒ ~~FADED~~ TEXT OR DRAWING
- ☒ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.